



**HarrodsTM
Sport**

The original since 1954

*setting
the standard
leading
the field*



A select range of products from the Harrods Sport collection. To see the full range visit
harrods.uk.com

Whatever it takes...

Contents

- 12 Badminton
- 16 Boot Wipers
- 18 Cricket
- 22 Football
- 54 Hockey
- 68 Netball
- 72 Rugby
- 77 Shelters
- 86 Tennis
- 90 Volleyball
- 93 Handball
Lacrosse
- 94 American
Football



Conformity by sport
All Harrod Sport Football Goals conform to BS EN 748 or BS 8462.
In early 2018 it is likely BS 8462 will be replaced by EN 16579 and all conformity will be updated accordingly.
Badminton BS EN 1509.
Hockey BS EN 750.
Handball BS EN 749.



The board of Directors' philosophy has always been to invest in the business to ensure careful and controlled growth. Our continual investment in recruitment, staff training, additional manufacturing, warehousing facilities, and expertise in areas such as product development will ensure we remain at the forefront of the industry, delivering the very 'Best of British'.

Over the years Harrod Sport equipment has been specified wherever performance is required. From the London to Rio Olympic Games, several Commonwealth Games, Twickenham, The National Badminton Centre, Hockey Centres of Excellence, England World Cup training venues, Premier League and professional football clubs to the iconic Wembley Stadium, Harrod Sport goals and nets are the showpiece of the venue. Within the Harrod Sport range you will find a product to meet your needs and they are all built for quality, strength, safety, durability and performance.

Harrod Sport offer the largest, most innovative range of products for all the popular sports, our excellent quality and value make Harrod Sport products first choice for clubs, schools and organisations of all sizes.



Innovation Centre

– investing in the future




At the start of 2017 Harrod Sport were proud to open their Centre for Innovation in both design and research & development.

This new 75 square metre building consists of offices and our specialist research & design workshops. It enables all our design engineers to be housed under one roof instead of in numerous offices across the site which results in fresh innovation and thinking, as all design engineers are able to consult and assist across all projects with multiple disciplines.

The new building houses the latest state of the art 3D printer for rapid prototyping alongside a whole range of design technology.

Our research and development team are also sited alongside our design engineers – a first in our 60 year history – enabling new products to be brought to market sooner as the design, research, development, prototyping and testing procedures are now streamlined. With today's fast moving trading environment this has proved critical - allowing the continual expansion of the business and securing jobs and our future.



This amazing facility will help us to lead and inspire through innovation; delivering excellence in quality and service within our culture of continuous improvement.



UK design, manufacturing

& innovation since 1954...



UK based since 1954

In Suffolk we have over 11,500 square metres of factory, offices and warehouses which means that everything from product design, manufacturing, administration and operations all happens under one roof to ensure we have total quality control in everything that we do.



Investors in People

We are part of an elite 2% of companies in the UK to be awarded the prestigious Investors in People Gold Award. It recognises world class business practice across key facets of our business that ensures we deliver the very highest of standards with our products and services.



Design Studio

As part of our new Innovation Centre our designers now operate in a new purpose built large design office with the latest CAD packages and range of other design technology such as a 3D printer for rapid prototyping.



UK Design

Our 14 strong research and development team incorporates 11 full time design engineers and 3 research & development engineers. Our passion for innovative design and game changing ranges means we are constantly striving to improve and develop our products.




UK Fabrication

As metal fabricators we offer CNC (Computer Numerically Controlled) rolling and precision engineered structures alongside traditional metal fabrication services to meet industry trends and needs – all from our site in Suffolk.



Degreasing plant

All steel products are zinc phosphated and aluminium products iron phosphated giving them a tough protective corrosion resistant coating.



Market leading finishes

Our in house powder coating plant is one of the largest and most technically advanced in the UK to ensure the very best finish for all products.



Highly skilled net making

Utilising skills honed from over 60 years of net making, we offer the widest range of netting with the ability to adapt products to suit bespoke customer requirements.



Stock holding

Our commitment to the UK's largest stock holding of goal posts and nets ensures our customers receive a world class service.



Delivery fleet

With a fleet of six delivery vehicles and a dedicated team of drivers and installation engineers, we are able to meet time and site specific deliveries.

Major Event CV

96

Euro 96
European Football
Championship
Finals, UK

99

Rugby World Cup,
Millennium Stadium,
Cardiff

02

XVII
Commonwealth
Games,
Manchester, UK

07

Euro Hockey Nations
Championships, UK

09

FIFA U17 World Cup
Finals, Africa

10

XIX
Commonwealth
Games,
Delhi, India

11

UEFA Champions
League Final,
Wembley Stadium

Rugby Union World
Cup Finals,
New Zealand

AFC Asian Cup,
Qatar

12

The London 2012
Olympic Games, UK

The London 2012
Paralympic
Games, UK

UEFA European
Championships
Final, Ukraine

13

Rugby World Cup
Sevens, Moscow

UEFA Champions
League Final,
Wembley Stadium

14

XX
Commonwealth
Games,
Glasgow, UK

15

Rugby World
Cup, UK

EuroHockey
Championships,
London, UK

AFC Asian Cup,
Australia

The FIFA U20
World Cup,
New Zealand

16

Rio 2016 Olympic
Games, Brazil

Hockey Champions
Trophy, London, UK

NFL, Twickenham,
UK

17

FIH World League,
London, UK

19

Rugby World
Cup, Japan



Materials

Harrod Sport only use the best materials and have the largest selection of bespoke extrusions in the UK.

At Harrod Sport we produce numerous specialist extrusions to exacting requirements for a wide variety of sports. From the 140mm tube that allows us to achieve a 17m Millennium Rugby Posts to our industry leading 3G Football section designed to house internal joints and external bolts, plates and net clips, they are tried and tested to highest standards.

Each extrusion is designed for the exacting purpose of the post or goal it is designed for and we use only the best materials.

Football



Rugby



Netball



Badminton



Hockey



Shelters



Assembly service

To meet an ever increasing demand, our assembly department is regularly being expanded and our teams of highly skilled fitters provide a first class service delivering and erecting items from our range of freestanding equipment. They are continually adding additional equipment into their portfolio.

Our teams are also continually put to the test at prestigious venues and events from the London to the Rio Olympics, to Rugby World Cups.

The commitment shown during these events is typical of our teams, who will certainly always go the extra mile to ensure you will be totally satisfied with the finished product. The team can also offer invaluable operational, anchorage and maintenance advice whilst on site.

Service available on freestanding equipment - POA from all distributors



Competition Badminton Posts

Official post and net suppliers to BADMINTON England, our posts are used in top venues such as the National Badminton Centre and the National Institute of Sport.



Recommended by
BADMINTON England
for use in their centres
of excellence and
the ideal option
for International
tournaments.

Post Specification:

- 1.55m high uprights made from 40mm diameter x 5mm thick steel
- Individual velcro net ties ensure net is held firmly to the uprights
- Polyester powder coated.



Features:

- 1 Easy to use quick release clam cleats allow exact net height to be achieved for competition use
- 2 Uprights and base do not protrude into the court area
- 3 Heavy duty post will not flex under tension.

Premier Freestanding Competition BAD-021

**Socketed Competition
BAD-023**

**Floor Fixed Competition
BAD-031**



Badminton Nets

- Red heavy nylon 19mm regulation mesh
- Double the thickness of the No.1 net
- White headband with cotton eyeletted ends
- Fitted with top and bottom cord.

**6.1m in length
BAD-015**

Premier Freestanding Competition

The ultimate freestanding badminton posts, designed to achieve regulation net tension, ideal for sports halls where ground sockets are not possible.



125mm diameter rubber wheels will not mark or damage the floor



©Copyright 2009



Badminton Floor Fixing Sockets

**SH 2 160mm
SHP-001
SH 2 210mm
SHP-100**

©Copyright 2009

All sockets and floor plugs require professional installation.



Badminton Wheelaway Training Posts

Specification

- 1.55m high uprights made from 40mm diameter steel
- Uprights have a grooved top for the net headline and welded cleats
- Weighted base means netting can be drawn tight without movement of the upright
- Polyester powder coated
- **BAD-036*/038***
Same design as above but with sellock pin sleeve located at 86cm for Mini Tennis.

Features:

- 1 Uprights do not protrude into court area conforming to required safety standard
- 2 The 'H' shaped bases have built-in weight and are fitted with rubber pads for floor protection
- 3 Posts are attached to the base with a spring clip mechanism and can be easily detached for storage.



**School Badminton Post
BAD-034**
**School Combination Post
BAD-038***



**Club Badminton Post
BAD-032**
**Club Combination Post
BAD-036***



Recommended Net BAD-003

- No.1 net – for club use
- Red nylon regulation 19mm mesh
- White head band with cotton eyeletted ends
- Fitted with top and bottom cord

BAD-003 6.1m in length
BAD-004 6.7m in length
BAD-005 7.3m in length

Optional Extra:
BAD-060 Velcro Net Ties



Badminton Colour Mix

A unique twist on our standard blue posts, giving clubs and schools the opportunity to be unique. Choose one colour or mix and match colours... get creative!



**WATCH A PRODUCT VIDEO
ON OUR WEBSITE**

Colour Mix
options available
on School and
Club models - see
website for full
details



Choose ONE COLOUR...



or MIX & MATCH




SAPPHIRE BLUE
MELLOW YELLOW
RIO GREEN
RACING CAR RED
HOT PINK
ZESTY ORANGE
BRUNSWICK GREEN
MIDNIGHT BLACK

These are Harrod Sport Colour Mix names only and not official RAL colour references.

Boot Wipers

Designed for use outside communal changing areas and pitches.



Premier Boot Wiper

Specification:

- 1m high unit with bottom and side brushes
- Two or four individual 610mm long x 73mm wide bottom brushes
- Two individual 152mm long x 73mm wide side brushes
- Brushes have 65mm long black bristles.
- 2 internal shoe scraping plates for added safety feature
- Manufactured from 50.8mm diameter steel
- Polyester powder coated matt black.

Features:

- Available as a fixed, freestanding or socketed boot wiper
- Available in 2 sizes 1.1m & 1.75m long.

Socketed Premier

1.1m BWP-013 • 1.75m BWP-017

Fixed Premier

1.1m BWP-010 • 1.75m BWP-015

Freestanding Premier

1.1m BWP-011 • 1.75m BWP-016



Fixed



Socketed



Freestanding

Standard Boot Wiper

Specification:

- Two individual 265mm long x 65mm wide bottom brushes with 47mm long black bristles
- Two individual 265mm long x 65mm wide side brushes with 65mm long black bristles
- Rubber gripped handles
- Polyester powder coated matt black

Features:

- Fully freestanding and 1m high
- Two recessed shoe scraping plates.

Standard Boot Wiper

1m BWP-001



Permanent

Multi Boot Wiper

Specification:

- Made from 31.8mm diameter steel
- Two 152mm x 73mm side brushes
- 1 x 610mm bottom brushes
- Polyester powder coated matt black.

Permanent

1 boot 0.8m BWP-003 **2 boot 1.3m BWP-004**

3 boot 1.9m BWP-005 **4 boot 2.6m BWP-006**



Fixed

Fixed

1 boot 0.8m BWP-043 **2 boot 1.3m BWP-044**

3 boot 1.9m BWP-045 **4 boot 2.6m BWP-046**



Fixed

Freestanding

Angled Boot Wipers

Specification:

- Individual 265mm long x 65mm wide brushes with 47mm long black bristles
- Manufactured from 50.8mm diameter steel
- Polyester powder coated matt black.

Features:

- Angled brushes to prevent excessive wear.

Freestanding:

2 person BWP-047
3 person BWP-050

Fixed:

2 person BWP-048
3 person BWP-051


Socketed:

2 person BWP-049
3 person BWP-052



The Winch Cricket System

Ideal for groundsmen and venues that wish to fully cut, roll and maintain natural grass batting areas. Any configuration of bays can be achieved.



Specification:

- Made from 76mm square galvanised steel uprights
- Heavy duty ratchet winch
- Polyester powder coated green.

Features:

- 1 Available in 2.7m and 3m high systems
- 2 Netting can be drawn back so access can be gained for mowing without obstruction from uprights
- 3 Can span a distance between posts of up to a maximum of 30m
- 4 Roof netting can be fitted to a maximum length of 7m
- 5 Can be concreted directly in or used with optional socket.

For full details on cricket netting and accessories please visit harrod.uk.com

3m High Winch System
Winch Post **CRK-200** Anchor Post **CRK-201**

2.7m High Winch System
Winch Post **CRK-203** Anchor Post **CRK-204**

Optional extras:



Net Protection Vermin Skirt

Designed to help prevent vermin damage to the bottom of netting. 500mm high skirt is stitched to netting and made from black mesh with a 18mm bottom rope.



50mm Black Bottom Band Fitted with 18mm Rope

Designed to be stitched to the bottom of netting to help prevent billowing in windy conditions. Brass eyelets at both ends.

Black netting supplied as standard



©Copyright 2009

Premier Portable Cricket Cage

The freestanding cage can be wheeled by 2 people after attaching the front lifting handle. It is recommended that the lightweight aluminium option is securely anchored using the supplied pegs at all times.

Specification:

- 3.2m H x 3.6m W x 7.2m D (internal dimensions)
- 50mm diameter uprights and toprods in aluminium or steel
- Heavy duty 60mm steel fixing joints
- Supplied complete with 2mm thick black polypropylene netting
- Complete with 4 'U' Peg anchors.

Features:


- 1 Surround and roof netting joined for ease of installation and safety
- 2 Diagonal supports for added stability
- 3 Cellular wheels.

6 Wheel cage:

Steel CRK-151 **Aluminium** CRK-156

2 Wheel cage:

Steel CRK-150 **Aluminium** CRK-155



For full details on cricket netting and accessories please visit harrod.uk.com

County Cricket Practice Net

Designed as a professional training system which can be easily dismantled before cricket matches. Ideal where permanent sockets are not an option.

Specification:

- Uprights are manufactured from 50mm diameter by 3.2mm thick aluminium and polyester powder coated black
- Each pole measures 2.7m in height out of the ground
- No headline rope is required with this system
- 2mm x 50mm twisted black polypropylene net.

Sizes available:

CRK-275 - 10m
CRK-276 - 20m
CRK-277 - 30m
CRK-278 - 40m
CRK-279 - 50m
CRK-280 - 60m
CRK-281 - 70m
CRK-282 - 80m
CRK-283 - 90m
CRK-284 - 100m

Turf Screw Insertion Tool
BAR-031

Features:

- 1 Uprights installed at 10m intervals.
- 2 Netting complete with interval sleeves so they can be easily installed onto uprights.
- 3 Turf screw ground sockets included.
(Insertion tool must be ordered separately see BAR-031).

County Cricket Net System

Designed as a professional system which can be easily dismantled once the cricket season is over. Ideal where permanent sockets are not an option.



For full details please visit harrod.uk.com



Goal Sizes

Throughout this catalogue you will notice the varying goal sizes for the vast range of football goals offered. To enable you to determine the size you require please follow the format outlined by the FA.

Official FA sizes are Senior, Junior, 9v9 and 7v7/5v5.

Also listed in this catalogue are two other sizes:

- Euro 5m x 2m goals, this is the european format for small sided football
- 16'x6' 4.88m x 1.83m goals, commonly used in Scotland and Ireland for small sided football.

Traditional 5-a-side goals are also listed and available in three sizes.




For more details on goal and pitch sizes for your age group please contact your local county FA.


AGE	FORMAT	SIZE
18+	11v11	7.32 x 2.44m
U18	11v11	7.32 x 2.44m
U17	11v11	7.32 x 2.44m
U16	9v9 or 11v11	7.32 x 2.44m
U15	9v9 or 11v11	7.32 x 2.44m
U14	9v9 or 11v11	6.40 x 2.13m to 7.32 x 2.44m
U13	9v9 or 11v11	6.40 x 2.13m to 7.32 x 2.44m
U12	9v9 or 11v11	4.88 x 2.13m to 6.40 x 2.13m
U11	9v9 or 11v11 7v7	4.88 x 2.13m to 6.40 x 2.13m 3.66 x 1.83m
U10	7v7	3.66 x 1.83m
U9	7v7	3.66 x 1.83m
U8	5v5	3.66 x 1.83m
U7	5v5	3.66 x 1.83m




SENIOR/JUNIOR



SMALL SIDED



TRADITIONAL 5-A-SIDE*



*Not recognised as an official small sided FA size.

Stadium Pro Goal

The new patent pending technology, which allows for precision height adjustment, is a development in design and manufacturing that will greatly aid grounds professionals.

 **YouTube**
WATCH A PRODUCT VIDEO
ON OUR WEBSITE



Patent Pending
GB1612870.4

Freehanging
Net Supports can
be manufactured
in a choice
of colours

Goal Specification:

- Goal Size 7.32m x 2.44m
- Uprights & crossbars made from 102mm x 112mm reinforced aluminium with double recess for flush fitting fixings
- Polyester powder coated white.

Set consists of

- 1 Set = 2 Goals
- 4 Uprights
- 2 Crossbars
- 4 Sockets
- 4 Socket wedges
- 4 Drop In Lids
- 210 Net Hooks
- All Bolts & Fixings



**Senior 7.32m x 2.44m
Goal FBL-848**

Freehanging Net Supports

4 Pole FBL-849

6 Pole FBL-850

**Hinged Bottom
Net Supports FBL-851**

4mm Braided Net FBL-308

UEFA Net Support Pads

Set of 4 FBL-540



Reinforced net support system

Features:

- 1 The Stadium Pro precision height adjustment system allows for the goal to be accurately adjusted by up to 100mm whilst the goal remains in situ
- 2 Reinforced welded aluminium corner joints for improved aesthetics and superior strength, with laser cut internal fixing for exceptionally accurate joints
- 3 Injection moulded toughened nylon net clips that won't deteriorate over time
- 4 Lock-in T-bar to allow for easy storage of the bottom net bar against upright for pitch maintenance
- 5 Reinforced net support system prevents bowing under intense tension. New, heavy duty ratchet winch and webbing strap allows for high-class net shape with the inclusion of a failsafe wire providing 100% security during matches
- 6 Lock-in bottom net bar 38mm diameter aluminium bar with ground secure key lock mechanism complete with 4 sockets and lids per goal.



 **A HARROD UK
INNOVATION**
Stadium Pro Goal

**CONFORMS TO
BRITISH & EUROPEAN
SAFETY STANDARDS** 

3G Stadium Goal

Our uniquely designed 3G Stadium Goal is used at top level venues including St George's Park, Wembley, Premier League Clubs, Championship and League Clubs. The goals have also played host to Olympic, UEFA Championships and Champions League Finals.



The 3G Stadium Club Goal with elbow brackets

Goal Specification:

- Uprights and crossbars made from 102mm x 112m reinforced aluminium
- Zinc plated internal steel fixing plate incorporating corner net clamp
- Stainless steel bolts throughout
- Polyester powder coated white.

Set consists of

- 1 Set = 2 Goals
- 4 x 460mm deep sockets, wedges & drop-in lids
- 210 x lock-on synthetic net hooks

3G Stadium Goals can be used with elbow net supports for pitches that cannot accommodate the freehanging football box system - see harrod.uk.com for full details.



Senior 7.32m x 2.44m

Goal FBL-548

4mm Braided Euro Net FBL-308



Junior 6.4m x 2.13m

Goal FBL-546

3mm Euro Junior Net FBL-357

Freehanging Net Supports FBL-539

3G Hinged Bottom Net Supports

Senior FBL-190

Junior FBL-189

UEFA Net Support Pads Set of 4 FBL-540



9v9 4.88m x 2.13m

Goal FBL-242

Net FBL-246



7v7/5v5 3.66m x 1.83m

Goal FBL-544

Net FBL-371

Elbow Net Supports Senior/Junior FBL-505 9v9,7v7/5v5 FBL-093

Features:

- 1 Fully welded corner joints provide superior strength and added safety
- 2 Micro adjustable foot on each upright allows exact upright height
- 3 Socket wedges ensure posts are held firm in the socket with no movement
- 4 Freehanging net supports designed to suspend the net and eliminate rebounds. Complete with ratchet winch and webbing straps
- 5 Hinged bottom net supports folds to enable ground maintenance
- 6 Optional elbow net support system can be used
- 7 Small sided versions require optional elbow style net supports.



7v7/5v5 with elbow brackets




CONFORMS TO
BRITISH & EUROPEAN
SAFETY STANDARDS

©Copyright 1996

Harrod Sport's Stadium Goal is the perfect compliment to any stadium pitch and provides exactly what is needed at elite professional level football.

3G Foldaway Euro Portagoals

As used at stadiums including Wembley, Aviva, Emirates and the Santiago Bernabeu. The ultimate pre-match warm up solution for national stadiums and professional football clubs. Each goal can be demounted and folded into a bag in less than 3 minutes, ready to be transported away from the pitch.



Goal Specification:

- Uprights, crossbars, sidebars & backbars made from 102mm x 112mm reinforced aluminium
- Net supports made from 80mm diameter reinforced aluminium
- Zinc plated internal corner joints
- Polyester powder coated white with black net supports

Features:

- 1 Each goal can be assembled and disassembled in less than 3 minutes by four people using the integrated folding mechanisms
- 2 Entire goal uniquely folds into one piece without removing any parts into carry bag
- 3 Integral net support posts allow for free hanging net to match Harrod UK stadium goal set up.



Senior 7.32m x 2.44m Goal FBL-682

Set consists of

- 1 set = 2 goals
- 200 lock-on synthetic net hooks
- 4 'u' peg grass anchors
- Complete with net and bag

Options, extras and spares Transporter trolley set of 4 FBL-679

FPX 4mm Senior Box Net FBL-684



WATCH A PRODUCT VIDEO
ON OUR WEBSITE



©Copyright 2005. This product is protected by design right.

**A HARROD UK
INNOVATION**
*3G Foldaway
Euro Portagoal*

CONFORMS TO
BRITISH & EUROPEAN
SAFETY STANDARDS

3G Weighted Portagoals

Our integrally weighted goal is the perfect choice for Professional Clubs, Academies and is the widely chosen option throughout the UK for 3G and synthetic pitches.



Easily moved



9v9 model



7v7 model



2 wheels per goal on 5-a-side models

Goal Specification:

- Uprights, crossbars, sidebars and backbars made from 102mm x 112mm reinforced aluminium
- Full length net supports made from 31.8mm diameter galvanised steel
- Polyester powder coated white.

Features:

- 1 Hi-Raise Wheels with puncture proof front cellular rubber tyres lift the goal up to 100mm above the surface allowing for manoeuvrability on both grass and synthetic surfaces. New improved rear wheel design with full side and rear support.
- 2 Zinc plated, fully welded corner joints provide superior internal strength
- 3 Aluminium profile backbar with integral weight insert ballast



Senior 7.32m x 2.44m
Goal FBL-435
4mm Senior Nets FBL-017



Junior 6.4m x 2.13m
Goal FBL-436
4mm Junior Nets FBL-019



9v9 4.88m x 2.13m
Goal FBL-437
4mm Junior Nets FBL-216



7v7/5v5 3.66m x 1.83m
Goal FBL-439
4mm Junior Nets FBL-367



Euro Size 5m x 2m
Goal FBL-440
4mm Junior Nets FBL-361



16'x6' 4.88m x 1.83m
Goal FBL-438
4mm Junior Nets FBL-366



5-a-side various x 1.22m
4.88m Goal FBL-445*
3.66m Goal FBL-446**
2.44m Goal FBL-447***
Nets FBL-662*/663**/666***



3G Portagoals

The preferred choice of portable goals for Professional Club training facilities. As used at St George's Park, Premier League Academies and Independant Schools across the country.



Hi-Raise wheels



'U' Peg Anchor (supplied)



6 weights required per goal

Goal Specification:

- Uprights, crossbars, sidebars & backbars made from 102mm x 112mm reinforced aluminium
- Full length net tubes made from 31.8mm diameter galvanised steel
- Polyester powder coated white
- 6 counterbalance weights are required per goal.

Features:

- 1 When used with optional Hi-Raise Wheels the portagoal is extremely manoeuvrable on both grass and synthetic surfaces, Hi-Raise Wheels lift the goal up to 100mm above the surface
- 2 Fully welded corner joints provide superior strength and added safety.

Set consists of

- 1 set = 2 goals
- 200 lock-on synthetic net hooks
- 4 'u' peg grass anchors

Hi-Raise Portagoal Wheel - set of 8 FBL-559

(Please note wheels are optional on Portagoal version).



Senior 7.32m x 2.44m

Goal FBL-600

4mm Senior Nets FBL-017



Junior 6.4m x 2.13m

Goal FBL-084

4mm Junior Nets FBL-019



9v9 4.88m x 2.13m

Goal FBL-207

4mm Junior Nets FBL-360



7v7/5v5 3.66m x 1.83m

Goal FBL-210

4mm Junior Nets FBL-359



Euro Size 5m x 2m

Goal FBL-208

4mm Junior Nets FBL-361



16'x6' 4.88m x 1.83m

Goal FBL-215

4mm Junior Nets FBL-358



©Copyright 2002

CONFORMS TO
BRITISH & EUROPEAN
SAFETY STANDARDS

3G Euro Portagoals

Designed as the ultimate training ground portable goal, allowing clubs to mirror the Harrod Sport 3G Stadium Goal but with a goal that can be easily transported utilising the optional Hi-Raise Wheels.



Front wheel

Hi-Raise Euro Portagoal Wheel - set of 8 FBL-561
(Please note wheels are optional on Portagoal version).

Goal Specification:

- Uprights, crossbars, sidebars & backbars made from 102mm x 112mm reinforced aluminium
- Net supports made from 80mm diameter reinforced aluminium
- Zinc plated internal corner joints
- Polyester powder coated white with black net supports

Set consists of

- 1 set = 2 goals
- 200 lock-on synthetic net hooks
- 4 'u' peg grass anchors
- Weighted Portagoal version complete with wheels (Optional extra with standard portagoal)

Weighted Portagoal



Senior 7.32m x 2.44m
Goal FBL-674
4mm Senior Box Net FBL-684



Junior 6.4m x 2.13m
Goal FBL-675
4mm Junior box net FBL-691



9v9 4.88m x 2.13m
Goal FBL-676
4mm Junior Nets FBL-696

Features:

- 1 Integral net support posts allow freehanging box net set up
- 2 When used with Hi Raise Wheels the portagoal is manoeuvrable on most surfaces. New improved rear wheel design with full side and rear support
- 3 Available in a weighted portagoal or a standard portagoal
- 4 Fully welded corner joints provide superior strength and added safety

Portagoal



Senior 7.32m x 2.44m
Goal FBL-683
4mm Senior Box Net FBL-684



Junior 6.4m x 2.13m
Goal FBL-690
4mm Junior box net FBL-691



9v9 4.88m x 2.13m
Goal FBL-695
4mm Junior Nets FBL-696



3G Demountable Portagoal

Uniquely designed demountable portagoal is the perfect pre-match warm up solution for professional clubs.



Goal Specification:

- Uprights, crossbars, sidebars & backbars made from 102mm x 112mm reinforced aluminium
- Full length back tubes made from galvanised steel
- Fully welded corner joints provide superior strength and added safety
- Zinc plated internal corner joints
- Quick and secure rope clamps for top and bottom headlines
- Polyester powder coated white.

Features:

- 1 Each goal can be assembled in less than 5 minutes by two people
- 2 Detachable crossbar and backbar with quick release latch mechanism means the goal can be assembled without tools
- 3 Designed in four sections for easy storage.



Senior 7.32m x 2.44m

Goal FBL-680

FPX 4mm senior goal nets

FBL-636



Junior 6.4m x 2.13m

Goal FBL-681

FPX 4mm Junior goal net

FBL-660

Set consists of

- 1 set = 2 goals
- 200 lock-on synthetic net hooks
- 4 'u' peg grass anchors

Options, extras and spares

Synthetic net hooks pack of 24
FBL-229

3G Hinged Portagoal

A pre-match warm up solution for clubs with accessible storage space.



Goal Specification:

- Specification as per FBL-600 (see page 32) but with hinged backbar and continental net support.

Features:

- 1 Goals can be wheeled in and out fully assembled utilising the portagoal trolleys
- 2 Hinged backbar allows goal to be transported and stored with only a 1.22m runback.



Senior 7.32m x 2.44m

Goal FBL-605

FPX 4mm Senior Portagoal

nets FBL-017

Set consists of

- 1 set = 2 goals
- 200 lock-on synthetic net hooks
- 4 portagoal trolleys each with 4 x 360 cellular rubber tyres
- 4 'u' peg grass anchors

Options, extras and spares

Synthetic net hooks pack of 24

FBL-229

Replacement trolleys set of 4

FBL-554



3G Fence Folding Goals

Ideal for synthetic surfaces and multi-use games areas. Designed to fold flush against surrounding fence. Hinged supports allow this goal to fold effortlessly by two people when not in use, allowing space and freedom for other sports.

Goal Specification:

- Uprights, crossbars, sideboards and backbars made from 102mm x 112mm reinforced aluminium
- Anchor posts made from 100mm x 100mm zinc plated steel.
- Adjustable telescoping side bars and vertical support bar made from 60mm x 60mm zinc plated steel.
- Zinc plated internal steel fixing plate.
- Goal frame polyester powder coated white.
- Support frame polyester powder green.

Features:

- 1 Fully welded corner joints provide superior strength and added safety
- 2 Fully zinc plated support posts and side supports
- 3 Solid roller wheel provides easy maneuverability.

Set consists of

- 1 Set = 2 Goals (with projections)
- 4 Sockets
 - 100 Net Hooks

What is Included

- 4 Uprights
- 2 Crossbars
- 4 Top Sidebars (2 Left, 2 Right)
- 4 Bottom Sidebars (2 Left, 2 Right)
- 4 Support Braces
- 4 Rollers
- 4 Projection Adjusters
- 4 Through Fence Arms
- 4 Projection Sockets
- 100 Net Hooks
- All Bolts & Fixings



7v7/5v5



2.3m to 3.5m projection



Senior 7.32m x 2.44m
Goal FBL-613
3mm senior box net **FBL-310**



Junior 6.4m x 2.13m
Goal FBL-614
3mm junior box net **FBL-357**



9v9 4.88m x 2.13m
Goal FBL-592
3mm 9v9 box net **FBL-307**



7v7/5v5 3.66m x 1.83m
Goal FBL-587
3mm 7v7/5v5 net **FBL-371**



16'x6' 4.88m x 1.83m
Goal FBL-586
3mm 16'x6' net **FBL-370**



5-a-side various x 1.22m
4.88m **Goal FBL-580***
3.66m **Goal FBL-581****
Nets **FBL-031*/032****

Box profile goal with full length support posts

3.5m to 5m projection




Senior 7.32m x 2.44m
Goal FBL-615
3mm senior box net **FBL-310**



Junior 6.4m x 2.13m
Goal FBL-616
3mm junior box net **FBL-357**



9v9 4.88m x 2.13m
Goal FBL-593
3mm 9v9 box net **FBL-307**



7v7/5v5 3.66m x 1.83m
Goal FBL-589
3mm 7v7/5v5 net **FBL-371**



16'x6' 4.88m x 1.83m
Goal FBL-588
3mm 16'x6' net **FBL-370**



5-a-side various x 1.22m
4.88m **Goal FBL-583***
3.66m **Goal FBL-584****
Nets **FBL-031*/032****

Standard profile goal with short support posts



Inside perimeter Fence Folding options available - for full details please visit harrod.uk.com

CONFORMS TO
BRITISH & EUROPEAN
SAFETY STANDARDS

© Copyright 2002.

Lightweight Aluminium Goals

Lightweight and portable freestanding aluminium folding goals for use on grass, synthetic or indoor playing surfaces. Goals feature folding sideframes that lock in 'play' and 'folded' positions for ease of transportation and storage.



Goal Specification:

- Made from 80mm reinforced aluminium extrusion
- Fully welded corners with reinforced internal aluminium corner joint extrusion for increased strength
- Polyester powder coated white
- Supplied with 4 'U' peg anchors.

Features:

- 1 Sprung loaded foot operated 32mm galvanised steel folding sideframes for ease of use and storage
- 2 Electroplated steel corner brackets
- 3 2.5mm x 100mm polypropylene nets
- 4 Specifically designed extrusion for maximum strength to weight ratio



Senior 7.32m x 2.44m
Goal **FBL-810**
2.5mm senior net **FBL-820**



Junior 6.4m x 2.13m
Goal **FBL-811**
2.5mm junior net **FBL-821**



9v9 4.88m x 2.13m
Goal **FBL-812**
2.5mm 9v9 net **FBL-822**



7v7/5v5 3.66m x 1.83m
Goal **FBL-813**
2.5mm 7v7/5v5 net **FBL-823**

Our new innovative portable aluminium goal is designed to be strong and lightweight in accordance to the new EN 16579 safety standard for goals under 42kg



A HARROD UK INNOVATION
Lightweight Aluminium Goals

9v9

©Copyright 2017.

CONFORMS TO
BRITISH & EUROPEAN
SAFETY STANDARDS

3G Parks Goals

Designed for clubs that regularly remove goal posts from shared or public pitches.

Goal Specification:

- Uprights & crossbars made from 102mm x 112mm reinforced aluminum
- Polyester powder coated white.

Features:

- 1 Each goal can be assembled in less than 5 minutes by two people
- 2 Detachable crossbar with quick release latch mechanism means the goal can be assembled without tools
- 3 Fully welded corner joints provided superior strength and added safety
- 4 Available in two options with flush fitting locking lids or drop in lids

Locking lid version has special socket with lockable flush fitting aluminum lid, Allen key operated lock with plastic dust cover (locking lid is not interchangeable).



Senior 7.32m x 2.44m

Parks goal with locking lid

FBL-567

Parks goal with drop in lid

FBL-568

2.5mm straight

back nets FBL-008



Junior 6.4m x 2.13m

Parks goal with locking lid

FBL-565

Parks goal with drop in lid

FBL-566

2.5mm straight

back nets FBL-618



9v9 4.88m x 2.13m

Parks goal with locking lid

FBL-564

Parks goal with drop in lid

FBL-563

2.5mm straight

back nets FBL-562



Set consists of

- 1 set = 2 goals
- 100 lock-on synthetic net hooks
- 4 x 460mm deep sockets with locking lids or drop in lids



Aluminium Folding Goal

Freestanding portable aluminium goals for use on grass or synthetic surfaces.

Goal Specification:

- Uprights & crossbars made from 80mm diameter reinforced aluminium
- Full length net supports are manufactured from zinc plated 32mm diameter steel
- Steel bottom backbar manufactured from zinc plated 42.4mm diameter steel
- Goal frame polyester powder coated white.

Features:

- 1 Fully welded corner joints provide superior strength and added safety
- 2 Unique sprung loaded foot operated folding side frame ease of use and storage
- 3 Side frames lock in play and folded positions for added safety.



9v9 4.88m x 2.13m

Goal FBL-240

3mm Nets FBL-245



7v7/5v5 3.66m x 1.83m

Goal FBL-181

3mm Nets FBL-371



16'x6' 4.88m x 1.83m

Goal FBL-180

3mm Nets FBL-370



Traditional 5-a-side Senior

4.88m x 1.22m

Goal FBL-185

3mm Nets FBL-031



Traditional 5-a-side Junior

3.66m x 1.22m

Goal FBL-186

4mm Braided Nets FBL-032

Mini

2.44m x 1.22m

Goal FBL-187

4mm Braided Nets FBL-035



Heavy Duty Galvanised Goals

Preferred option for football specific venues that have high usage. These heavy duty football goals have fully welded side frames for added strength.

Goal Specification:

- Uprights and crossbars made 60mm diameter galvanised steel
- Polyester powder coated white.

Features

- Fully welded side frame with bolt on crossbar and backbar
- Unique hexagonal rivet fixing provides 12mm of thread to prevent cross threading and gives a secure fixing
- M10 security bolts
- Galvanised frames for durability.

Set Consists Of
1 Set = 2 Goals



9v9 4.88m x 2.13m
Goal FBL-509
4mm Braided Nets FBL-519



7v7/5v5 3.66m x 1.83m
Goal FBL-511
4mm Braided Nets FBL-521



16'x6' 4.88m x 1.83m
Goal FBL-510
4mm Braided Nets FBL-520



Traditional 5-a-side Senior 4.88m x 1.22m
Goal FBL-512
4mm Braided Nets FBL-522



Traditional 5-a-side Junior 3.66m x 1.22m
Goal FBL-513
4mm Braided Nets FBL-523



Mini Training Goal

Lightweight and portable, the perfect training aid for target practice and small sided games.

Specification:

- 80mm diameter x 2.5mm thick aluminium
- Polyester powder coated white
- Full length international style net supports
- Complete with 4mm thick polyethylene net
- Includes 2 x PEG-021 'U' Peg Anchors
- Easy to use synthetic net hooks.

1.5m x 1.0m FBL-606

2.0m X 1.0m FBL-607

3.0m X 1.0m FBL-608



Mini Target Goal

Lightweight and easily portable - the perfect training aid for Football and Hockey.



Specification:

- Manufactured from 65mm x 50mm aluminium
 - Powder coated white
 - Complete with 3mm braided polyethylene nets and synthetic net clips
 - Net colour may vary.
- 2.44m x 0.6m**
HOC-055

Premier Head Tennis



Height adjustable professional standard head tennis unit

Other colours available

Easily wheeled to the training pitch, this is the ideal training aid for clubs.

Specification:

- Adjustable net height from 1m to 1.85m
- 100mm diameter aluminium uprights complete with slider mechanism

- Heavy duty steel base ensures constant net tension
- Blue polyester powder coating
- Two large cellular rubber wheels
- 6m x 1m net with PVC headband.

FBL-650



Football Header Trainer



Bespoke indoor options available - POA

The perfect training unit for specialised heading practice.

Specification:

- Overall height 4.4m
- Wing span 3.8m
- Complete with 2 x teathered footballs
- Polyester powder coated white
- Manufactured from 76mm square aluminium
- Complete with 2 support braces and sockets.

FBL-710



Flexible Pole

- 30mm PVC pole
 - Flexible rubber connector.
- FBL-397**

Pro Flex 50mm Poles

- Single complete PVC spring back pole, orange/yellow flag, socket and lid
- As used by top professional clubs
- Designed to reduce the risk of injury caused by fixed poles, the connectors spring back after contact.

White poles **FBL-410**

Yellow poles **FBL-412**

Proflex Corner

Base (Steel) **FBL-418**

Proflex Corner Base

(Rubber) **FBL-069**

Corner flags for 50mm poles

- 34cm x 34cm
- Available in the following colours: black, green, maroon, navy, orange, red, royal blue, white and yellow.

1 Colour **FLG-321**

2 Colour **FLG-332**

Padded PVC flag **FLG-410**



FBL-069




Bespoke options available - POA

Nets


Our specialised netting factory and warehouse, enables our team of highly trained net technicians to produce every net listed within this catalogue.

We can also cater for bespoke netting requirements.


For our full range of nets visit our website.




Euro Net
4mm Braided



FPX
4mm Polypropylene



FP14
3mm Polypropylene




FP1
2.5mm Polypropylene



Box Profile Net



Standard Profile Net



Straight Back Profile Net

All nets are listed within this catalogue with the goals they are designed to fit, please therefore utilise the reference codes to ensure the net you order is suitable for your goal choice.

Rebound Boards


This product was designed specially for use during the London 2012 Paralympic Games as a boundary for the 5-a-side Blind Football.



Specification:

- 2m long and 1.2m high with a 10 degree angle
- Boards manufactured from aluminium
- Boards are mounted on a foldable galvanised Steel support frame, all powder coated white
- Boards with bevelled top edges for added safety
- 42 boards are required to make a set.

Rebound Boards
FBL-255



The Harrod Turf Screw works in conjunction with...



©Copyright 2011.



WATCH A PRODUCT VIDEO ON OUR WEBSITE



Turf Screw

Designed where concrete is not possible or as a preferred method of installation, the turf screw provides a strong socket style solution. Complete with caps to take 50mm, 42mm and 38mm poles.

Specification:

- Made from galvanised steel
- 1 socket with 3 collars to take 50mm, 42mm and 38mm uprights.

BAR-030

Turf Screw Insertion Tool

Reusable device designed to drive turf screws securely into the ground.

BAR-031

Spectator Barrier System

Suitable for Clubs, Schools and Universities. The system is the ideal way to protect pitches or walk ways and is designed specifically for use with the unique Harrod Sport turf screw (see left).



Specification:

- 0.95m high out of ground uprights with 2.1m top rails
- Manufactured from 42mm diameter galvanised steel and complete with key clamp fixings
- Upright and top rails are polyester powder coated white
- Turf screw or sockets must be ordered separately.

Pitch Protection Barrier



Designed to create a barrier between the pitch and all other areas.

Specification:

- Made from 50mm aluminium
- Designed to be used with either a turf screw or standard socket
- Turf screw or sockets must be ordered separately
- Polyester powder coated white.

1m high upright
BAR-029

25m White plastic chain
BAR-028

Turf Screw each
BAR-030

Spectator barrier socket
BAR-035

Stadium Crowd Protection System

Demountable netting system for pre-match stadium warm-ups.

Features

- 5m high system available in various lengths from 20m to 60m
- Pulley system allows netting to be raised
- Sockets and lids included.

Specification:

- 80mm diameter aluminium poles 2.5mm x 120mm mesh netting.

20m system **BAR-009**

30m system **BAR-010**

40m system **BAR-011**

50m system **BAR-012**

60m system **BAR-013**

Options, Extras & Spares

BAR-020 Ground socket



Training Ground Pitch Divider System

Features

- Semi permanent netting system utilising the unique Harrod Sport Turf Screw.

Specification:

- Uprights manufactured from 50mm aluminium
- 120mm square mesh sleeved netting with bottom band for easy installation
- Polyester powder coated black
- Turf Screw Sockets included
- Any length can be ordered in 10m increments.

Per 10m run available up to 100m

100m System

BAR-048

Available in 10m increments - see website for full details



Turf Screw details see page 48

Perimeter Pole System

Ideal for training ground environments and shared pitches which require a ball stop boundary.

Features

- Semi permanent netting system utilising the unique Harrod Sport Turf Screw.

Specification:

- Uprights 7.3m high x 76mm diameter steel
- Complete with 15m haulage rope, eye and cleat
- For use with lightweight surround netting only
- Maximum distance between posts must be no more than 5.5m
- We do not recommend use in windy or exposed sites and strongly advise that poles are stored horizontally in windy conditions
- Polyester powder coated green (other colours available POA).

6.4m High

FBL-101

Perimeter Pole Socket

FBL-100

2.5mm Surround netting black 120mm mesh

FBL-013



6.4m out of ground height

Bespoke Pro Club System



Ratchet winch and wire headline for superior tension



Bespoke steel & aluminium systems - POA

Pro Club Academy Pitch Perimeter System

Designed to fully enclose training pitches and work as a full standalone system. Can be designed as a bespoke system and work with existing ball stop netting or pitch fencing.


System can be manufactured between 2.7m and 3.0m high with retractable end sections or central door access.

Please ask
your distributor
for further details
and a full tailored
quotation



©Copyright 2017.

- ATLETICO MADRID
Wanda Metropolitano
- REAL MADRID
Santiago Bernabéu Stadium
- PARIS SAINT GERMAIN
Parc des Princes
- OLYMPIQUE DE MARSEILLE
Orange Vélodrome
- LILLE OSC
Stade Pierre-Mauroy
- AS SAINT-ÉTIENNE
Stade Geoffroy-Guichard
- STADE RENNAIS
Roazhon Park
- FC NANTES
Stade de la Beaujoire
- CLAIREFONTAINE
French National Football Centre
- LUZHNIKI STADIUM
Russia National Stadium
- OLIMPIYSKIY STADIUM
Ukraine National Stadium
- SHANGHAI SIPG
Shanghai Training Centre
- KING ABDULLAH SPORTS CITY STADIUM
Saudi Arabia
- DUBAI SPORTS CITY
Dubai
- JABER AL-AHMAD INTERNATIONAL STADIUM
Kuwait National Stadium
- EITHAD STADIUM
Melbourne, Australia



- ST GEORGE'S PARK
England National Football Centre
- WEMBLEY STADIUM
National Football Stadium
- HAMPDEN PARK
Scotland National Stadium
- PRINCIPALITY STADIUM
Wales National Stadium
- AVIVA STADIUM
Republic of Ireland National Stadium
- WINDSOR PARK
Northern Ireland National Stadium
- ARSENAL
Emirates Stadium
- BRIGHTON
Amex Stadium
- CELTIC
Celtic Park
- EVERTON
Goodison Park
- RANGERS FC
Ibrox Stadium
- LEICESTER CITY
King Power Stadium
- LIVERPOOL
Anfield
- MANCHESTER CITY
Etihad Stadium
- MANCHESTER UNITED
Old Trafford
- NEWCASTLE
St James Park
- SOUTHAMPTON
St Mary's Stadium
- STOKE CITY
Bet365 Stadium
- TOTTENHAM
White Hart Lane
- WEST HAM
The London Stadium

Harrod Integral Weighted Hockey Goal

Harrod Sport were the first company in the UK to design and manufacture a unique range of integral self weighted goals for Hockey. The market leading concept has now been widely adopted as the industry preferred method for all aluminium freestanding goals. Completely safe to use at all times, eliminating the users responsibility of attaching separate anchors.



Goal Specification:

- Uprights & crossbars made from 75mm x 50mm reinforced aluminium
- Fully welded corner joints provide superior strength and added safety
- 460mm high reinforced aluminium backboard panels with extra thick impact absorbent noise reducing carpet on all inside faces
- Polyester powder coated white excluding net supports and backboards which are coloured.

Features:

- 1 Backbar consists of a single weighted tube with 2 puncture proof cellular rubber wheels allowing for ease of manoeuvrability
- 2 Uprights and crossbars have a 7mm thick reinforced front wall to prevent hockey ball damage.
- 3 Specially designed 50.8mm diameter back tubes allow the net to hang freely to meet FIH specifications and eliminate ball rebound.

Integral net retaining system holds the net firmly in place without the use of net clips.

See page 56 for colour options

As used at the 2012 & 2016 Olympic Games



3mm braided net

Designed and tested to meet FIH technical standards

A HARROD UK INNOVATION
Integral Weighted Hockey Goal

CONFORMS TO BRITISH & EUROPEAN SAFETY STANDARDS



©Copyright 2012.

Integral Weighted Standard Colour Options

The Harrod Sport Integral Weighted hockey goals are available in a range of stock colours. We can also match your own specified RAL colour at an additional cost - please call for details of our bespoke service.



Blue Goal
3.66m x 2.14m
HOC-151

Blue
3mm braided net
HOC-156



Green Goal
3.66m x 2.14m
HOC-159

Green
3mm braided net
HOC-158



Black Goal
3.66m x 2.14m
HOC-160

Black
3mm braided net
HOC-157



Red Goal
3.66m x 2.14m
HOC-152

Black
3mm braided net
HOC-157



Rio Goal
3.66m x 2.14m
HOC-170

Rio
3mm braided net
HOC-158

Bespoke Hockey Goals

As the first company in the UK to design and manufacture a unique range of integral self weighted hockey goals we have continued to lead the way developing a service that allows Universities, Schools and Clubs across the country to bespoke our Integral Weighted hockey goal.

We supply a bespoke range of hockey goals which can be personalised with your club logo and colours.

What the Harrod Sport bespoke hockey goal service offers:

- Bespoke outer graphics
- Bespoke laser cut carpet
- Choice of net colour (green, black and blue)
- Choice of standard framework colours (red, blue, black and green)



Bespoke
RAL
colours
available
- POA



Expertly crafted from the initial visual to the application of branding



Fence Folding Hockey Goal

Designed and ideally suited for synthetic surfaces, unique pivot joints allows the goal to fold back safely and easily against surround fence without detaching the backboard.



Bespoke colour options and branding available - POA

Goal Specification:

- Uprights & crossbars made from 75mm x 50mm reinforced aluminium
- Anchor posts made from 100mm x 100mm zinc plated steel
- Adjustable telescopic side bars and vertical support bar made from 60mm x 60mm zinc plated steel
- 460mm high reinforced aluminium backboard panels with green noise reducing carpet on all inside faces
- Polyester powder coated white, excluding backboards and support posts which are green.

Features:

- 1 Uprights and crossbars have a 7mm thick reinforced front wall to prevent hockey ball damage
- 2 Telescopic side supports allow for exact projection
- 3 Goal locks in place when extended for play and when fully folded
- 4 Fully welded corner joints provide superior strength and added safety
- 5 Solid roller wheel provides easy maneuverability.

3.3m to 4.8m Projection

HOC-132

2.5m to 3.3m Projection

HOC-131

2.1m to 2.5m Projection

HOC-130



Inside Fence Folding options available - see website for full details

CONFORMS TO
BRITISH & EUROPEAN
SAFETY STANDARDS

©Copyright 2012. This product is protected by design right.

Heavy Duty Aluminium Indoor Hockey Goal

The ideal indoor regulation hockey goals as used at the England Hockey Super Sixes Indoor Finals.



OFFICIAL SUPPLIERS TO
**ENGLAND
HOCKEY**

Goal Specification:

- Uprights & crossbars made from 80mm square reinforced aluminium
- Net supports and top backbar manufactured from 32mm diameter aluminium
- 460mm high reinforced aluminium backboard panels with green noise reducing carpet on all inside faces
- Polyester powder coated white.

Features:

- Side frames complete with fully welded back tubes and lifting handles for added strength
- Fully welded corner joints provide superior strength and added safety
- Uprights & crossbars feature stainless steel retaining rods.

3m x 2m with 1m R/B
HOC-106



CONFORMS TO
BRITISH & EUROPEAN
SAFETY STANDARDS



Freestanding Hockey 5s Surround

Hockey 5s is an official short form of 11-a-side Hockey. It is played by 5 players per side rather than 11 and is designed as a complementary format of the game.

Goal Specification:

- The boards are manufactured from 3mm laser cut and folded galvanised steel
- Polyester powder coated white
- The rebound face of the board is covered with black 25mm thick closed cell HDPE foam, held in place by the self-adhesive backing
- Grip tape is applied to the bottom face of the boards in order to prevent movement during play
- Set of boards, creates 48m x 31.76m hockey pitch.

Features:

- 250mm high perimeter boards
- The foam is also available in green, red, blue and yellow at an additional cost. The boards are joined with plated and powder coated matt black steel brackets.

HOC-240

It is recommended that the boards are weighed down with one handbag weight every other board. ANC-240 and ANC-240-S have also been structured to facilitate this requirement, 38 of which are required as ballast for one set of HOC-240. ANC-240 will be sprayed Matt Black as standard.



Designed
and tested
to meet FIH
technical
standards



© Copyright 2017.

Hockey Pitch Divider Pad

As used at the 2014 Youth Olympic Games, China for Hockey 5's, Olympic and Commonwealth games for practice.

Board Specification:

- 16 pads will divide the full width of a hockey pitch
- Made from white PVC (as standard) covered high density foam with an internal strip of wood to provide pad stability
- Pads are 3.66m long x 120mm high x 160mm wide
- Each pad can be joined to the next via a secure velcro fastening.

3.66m sold singularly
(16 pads required to divide a pitch)

HOC-046

Bespoke options available - POA



Hockey 5's Pads

Specification as per HOC-046, but with higher density foam. Sold as a set of 50 x 3.66m & 4 x 0.85m pads.

HOC-047



Aluminium Indoor Hockey Pitch Sideboards

Bespoke options available - POA

As used at the England Super Sixes Hockey Final



This product is protected by registered design no. 6004417



Board Specification:

- Bespoke 100mm square aluminium extrusion sideboards with an angled front face
- Polyester powder coated red
- Black PVC on the angled front face protects the aluminium and increases product lifespan
- Rubber feet on the underside helps to grip and protect the playing surface
- Sideboards comply with FIH regulations and offer a tougher and more durable alternative to traditional wooden sideboards
- A set consists of 44 two metre sideboards, including specific end boards
- Electroplated steel joining plates
- Use product code HOC-251 for 1m length.

Features:

- The 44 sideboards form the sidelines of an indoor hockey pitch
- The sideboards reflect true rebound on impact
- The sideboards allow continuous game play.

HOC-250

Please note: HOC-250 (88m) is regarded as competition pitch size but for other sizes please use product codes HOC-251, HOC-252 and HOC-253.

Left and right end boards
(2m each = 4m in total)

HOC-251

Mid-section board (2m each)

HOC-252

Mid-section board (1m each)

HOC-253

Hockey Storage Trolley

Designed to transport Hockey Pitch Divider Pads and Indoor Hockey Pitch Sideboards.

- Manufactured from steel with detachable side handle for ease of loading
- 6 x castor wheels
- Polyester powder coated red.

STO-030



Folding Hockey Target Boards

Folding Hockey Target Board is the perfect training aid for Schools, Clubs and Universities.

Board Specification:

- Consists of 25mm reinforced extruded aluminium, powder coated yellow, protected by black matchwinner velour carpet
- Boards connected with black aluminium, adjustable friction hinges

- Friction hinges allow sideboards to be set at different angles to make a larger/smaller target as required
- Easily folded for storage, recessed carry handle on the rear of the backboard allows ease of transportation.

HOC-058



Event Equipment

Hockey Bag Trolley

Designed for International tournaments to store large hockey bags.

Specification:

- Aluminium frame with 2 rear swivel wheels & 2 front swivel brake wheels
- 2mm clear polycarbonate back, sides and roof
- Individual compartments with securing straps and front retaining bar
- Each trolley holds 5 bags
- Polyester powder coated white.
- Size 1590mm H x 1671mm W x 538mm D

Bag Trolley **HOC-071**

Bag Trolley Squad Number Set **HOC-087**

Hockey Sin Bin Seats

Specification:

- 50mm square freestanding aluminium frame
- 3 blue injection moulded polypropylene seats
- Polyester powder coated white
- 836mm H x 1451mm W x 708mm D.

Hockey Sin Bin **HOC-074**

Hockey Stick Rack

Trolley that holds 16 sticks with retractable lid to provide rain protection to stick handle.

Specification:

- Aluminium frame with 2 rear swivel wheels & 2 front swivel brake wheels
- 2mm clear polycarbonate back, sides and roof
- Polyester powder coated white.
- Size 1272mm H x 1254mm W x 509mm D

Hockey Stick Rack **HOC-070**



HOC-070 Hockey Sin Stick Rack



HOC-074 Hockey Sin Bin Seats



©Copyright 2012.
HOC-071 Hockey Bag Trolley

Hockey Officials Measure Kit

Designed to be used by Hockey Officials and referees prior to a game or tournament to ensure that the player's kit conforms to the required specifications and rules of the game. **HOC-260**



Hand Protection Measure Box



Hand Protector Measures (Length & Width) Leg Guard Measure (Width)

Proflex Corner Pole

Top of the range corner pole solution specifically designed for hockey.

Specification:

- 1.5m high x 50mm proflex pole complete with steel base plate
- Base made from laser profiled zinc plated steel
- Flags and base pad not included
- 500mm H x 494mm (W) x 344mm (D).

Hockey Corner Pole

HOC-060

300mm x 300mm PVC foam flags

- HOC-062** White
- HOC-063** 2 colour diagonal
- HOC-064** 2 colour horizontal
- HOC-065** 2 colour (double sided)

Options, Extras & Spares

- 50mm thick white base pad
- HOC-061**



HOC-062 Single Colour PVC flag



HOC-063 2 Colour PVC flag (diagonal)

Target Goals

Hockey Target Goal

- The fully welded frame is constructed from 65 x 50mm aluminium hockey section powder coated white
- The net supports and back bar are 31.8mm galvanised steel, powder coated blue
- The bracketry is electroplated steel and is also powder coated blue
- Sold as a single goal complete with a blue 3mm braided net
- Size: 900mm x 600mm.

HOC-056

Mini Target Goal

Lightweight and easily portable, mini training goals are the perfect training aid for small sided games or target practice.

HOC-055



See page 45 for full details

Hockey Technical Shelters



Olympic SHE-150



Commonwealth SHE-151



European SHE-152



Club SHE-153

Technical Dugouts designed to the highest standards for Olympic and FIH competition use.

Shelter Specification:

- Ranging between 2.0m-2.5m high allowing full standing access
- Water tight when window is closed fully
- Fully Freestanding
- Polyester powder coated
- Clear sections to allow for open air viewing of matches.

Requires professional assembly - POA

As used at:
London 2012 Olympic Games
Commonwealth 2014
FIH Champions Trophy
FIH World League

Olympic

- 2.5m high allowing for full standing access
- Overall 4.2m width and 3m depth
- Complete with internal counter tops and units.

SHE-150

Commonwealth

- 2.4m high allowing for full standing access
- Overall 3m width and 2.5m depth.

SHE-151

European

- 2.1m high allowing for full standing access
- Overall 3m width and 1.75m depth

SHE-152

Club

- 2m high allowing for full standing access
- Overall 2.5m width and 1.5m depth.

SHE-153



International Netball Posts

Official Suppliers of Nets, Posts and Post Protectors to England Netball.

Post Specification:

- Uprights made from 80mm diameter reinforced aluminium.
- Regulation solid 16mm diameter steel rings
- Polyester powder coated white.

Features:

- 1 Ring height is fully adjustable to 2.5m, 2.75m and 3.05m heights.
- 2 Specially designed plated steel floor sockets and blanking cap (please note sockets require professional installation).

Indoor Posts
NBL-030

Indoor Sprung Floor Posts
NBL-031

Outdoor Posts
NBL-038



Competition net



©Copyright 2005.

Bespoke
branded
padding
available
- see page 71



Aluminium Netball Posts

Post Specification:

- Uprights made from 80mm diameter reinforced aluminium
- Regulation solid 16mm diameter steel rings
- Polyester powder coated white.

Freestanding Posts
NBL-040

Floor Fixed Posts
NBL-032



Floor Fixed Base Plate

Features:

- 1 Ring height is fully adjustable to 2.5m, 2.75m and 3.05m heights
- 2 Freestanding - Solid steel base with extra heavy middle and rear sections for extra stability and so they will not be blown over under normal weather conditions. Rubber pads for floor protection
- 2 Floor Fixed - Profiled base plate and floor fixings, floor plugs are not included and should be ordered separately (SHP-001/100) Must be installed professionally.



Freestanding



Floor Fixed

©Copyright 2006.

Telescopic Netball Posts

Post Specification:


- Includes 10mm solid ring
- Triangular base which does not protrude into the playing area
- Adjustable to four heights; 1.88m, 2.44m, 2.75 & 3.05m
- Comes complete with powder coated pink triangular base and ring
- Polyester powder coated white.

Features:

- 1 Includes spring clip to allow for height adjustments.
- 2 Double nylon wheels and rubber pads for floor protection.

Telescopic Posts NBL-103

Adjustable upright allows easy transportation and compact storage



Please note: image illustrates ring heights - only one ring supplied.



Freestanding Netball Posts

Post Specification:

- Uprights made from 50mm diameter plated steel with punched ring hole
- Polyester powder coated white upright with the option to choose from a range of stock colours
- Triangular base which does not protrude into the playing court complete with double nylon wheels and rubber pads for floor protection
- Bases manufactured from solid steel bar and constructed so they will not be blown over under normal weather conditions.

Features:

- 1 Ring height is fully adjustable to 2.44m, 2.75m and 3.05m heights.
- 2 10mm solid ring.




A unique twist on our standard posts, giving clubs and schools the opportunity to be unique. Create your pick n' mix posts with any variation of our standard stock colours. Get creative!



WATCH A PRODUCT VIDEO
ON OUR WEBSITE


These are Harrod Sport Colour Mix names only and not official RAL colour references.



Bespoke branded padding available - POA



Netball Post Protectors



Competition Post Protectors:

- Designed to fit 80mm diameter posts
- Covered with hard wearing extra strong vinyl coated nylon cloth and foam filled
- 2.9m H x 340mm W x 25mm thick.

Single Panel NBL-055

Two Panel NBL-056

Three Panel NBL-057

Standard Post Protectors:

- Designed to fit 50mm diameter posts
- Covered with hard wearing extra strong vinyl coated nylon cloth and foam filled
- 2.34m H x 315mm W x 25mm thick.

Single Panel NBL-050

Two Panel NBL-051

Three Panel NBL-052

Millennium Rugby Posts

International specification design.
Official suppliers to Twickenham,
Murrayfield, Aviva & Principality stadiums.

Post Specification:

- Made from heavy duty aluminium
- Bottom upright 7.3m long x 140mm diameter
- Middle upright 7.3m long x 130mm diameter
- Top right 4.16m long x 120mm diameter (17m posts only)
- Crossbar 5.6m long, 88.9mm diameter x 3.25mm thick
- Sockets made from 146mm diameter x 6.5m thick galvanised steel
- Heights quoted are out of ground height
- Polyester powder coated white.

Features:

- 1 Complete with internal fitting hinged adaptors and high tensile stainless-steel bolts which make erection of the posts safer
- 2 Pennant fixing on top uprights.


Set consists of

- 1 Set = 2 Goals
- 4 x 1.5m deep sockets
- 4 x drop in socket lids
- 1 x rugby roller

17m Hinged Millennium (Three Piece upright)
RUG-020

13.5m Hinged Millennium (Two Piece upright)
RUG-021

Millennium Rugby Turf Tray
RUG-029



Eden Park, New Zealand



Turf Tray



©Copyright 2000.

Twickenham, UK

Rugby Storage Trolley

Post Specification:

- Steel frame manufactured from 50mm box section
- Polyester powder coated matt black
- Orange rubber chocks for secure storage of hinges
- Post arms with black rubber buffer to not damage paintwork
- Able to store a full set of Millennium Rugby Posts.


RUG-028



Rugby World Cup TOKYO 2019

During the scoping process in preparation for 2019 RWC, the organising committee looked for suppliers that had a proven track record for supplying world class events. Our experience over the years proved a key factor in making Harrod Sport their post supplier for such a prestigious event.

The Shizuoka Ecopa Stadium in Fukuroi is the first stadium to install a new set of Harrod Sport's, 17m Millennium rugby posts. When quality equipment is required for major events, the UK's leading sports post manufacturer were once again, the first port of call. "We have a very proud history of supplying and more importantly, delivering to many major sporting events across the UK and around the world. Overseeing the installation of this first set of rugby posts into the Ecopa Stadium was a special moment, especially when I was invited to kick the first goal through their new posts. It was an invitation I couldn't refuse despite having a half dozen film crews zooming in on my technique!" John Robinson 2017



Ecopa Stadium, Japan

Aluminium Rugby Posts

These posts are lightweight and easier to handle, with uprights supplied in sections for ease of transportation and storage.

Post Specification:

- 1m deep sockets with 80mm inside diameter complete with base plates
- Heights quoted are out of ground height
- Polyester powder coated white.

Hinged Rugby Posts

13m (Two piece uprights)

RUG-210

11m (Two piece uprights)

RUG-211

7m (One piece uprights)

RUG-212

Socketed Rugby Posts

12m (Two piece uprights)

RUG-201

10m (Two piece uprights)

RUG-200

6m (One piece uprights)

RUG-199


Mini rugby posts

5m (One piece uprights)

RUG-213


Features:

- 1 Hinged adaptors with high tensile bolts make erection of posts easier and safer
- 2 Socketed option designed so that posts drop directly into the sockets
- 3 Manufactured from aluminium tube making the post lightweight and very durable



Hinged Rugby Post Lifter

A unique system designed to enable the safe installation and dismantling of our hinged rugby posts.



Specification:

- Manufactured in two main parts; The horizontal support bar is manufactured from 60mm square steel and houses the reversible 3 point linkage
- 100mm square steel upright is fitted with two solid rubber rollers
- All steel zinc plated and polyester powder coated matt black
- 3 point linkage fixing bolts and lynch pins are included.

Features:

- This device can be fitted to either side of a tractor using the 3-point linkage arm
- The device is reversible to suit both Category one and two 3 point linkage arms
- The device is offset so that the post safely rolls up the side of the tractor cab

LFT-002


This device should be used with an appropriate tractor to allow the upright to move along the rollers in a controlled manner.

We would recommend the tractor speed never exceeds walking pace; moving no faster than 3mph.

A minimum of two people should oversee the process.



**WATCH A PRODUCT VIDEO
ON OUR WEBSITE**



Hinged Post Assembly Roller

The Hinged Post Assembly Roller allows users to safely erect and dismantle a set of hinged posts in a controlled manner.

- Designed to be mounted onto an appropriate tractor roll bar using two heavy duty 'U' bolt brackets
- The upright rolls along the device allowing easy installation and dismantling in a controlled manner before being lifted off by a suitable number of persons (the tractor must ideally be fitted with an angled or adjustable roll bar, brackets will fit up to a 76mm square bar)
- A minimum of two people should always oversee the safe erection or dismantling of the rugby posts
- We would recommend the tractor speed never exceeds walking pace; moving no faster than 3mph
- The device is designed for use with hinged uprights only, we do not recommend the use of the hinged post assembly roller on socketed uprights.

Specification:

- The hinged post assembly roller is manufactured from zinc plated steel
- Fitted with a rubber roller, a quick release webbed safety strap and two 'U' bolt brackets.



RUG-002

Rugby Post Protectors



Millennium Rugby



Club Rugby

- Flame retardant reinforced polyester PVC cover filled with 75mm thick high density foam
- Covers are double stitched for strength with integral Velcro fastening edges
- Set of 4.

Millennium Rugby
1.8m x 450mm Wide Face:
Single Panel RUG-050
Two Panel RUG-059
Three Panel RUG-060
Four Panel RUG-061



Club Rugby
Post Protectors (1.8m H)
254mm Face:
Multi 4 Panel RUG-084
Multi 3 Panel RUG-080
Multi 2 Panel RUG-042
Single Panel RUG-039

305mm Face:
Multi 4 Panel RUG-085
Multi 3 Panel RUG-081
Multi 2 Panel RUG-043
Single Panel RUG-040

355mm Face:
Multi Panel RUG-086
Multi 3 Panel RUG-082
Multi 2 Panel RUG-044
Single Panel RUG-041

Bespoke branding available - call for further details.

Elite Team Shelter

Top of the range shelter designed for professional clubs and top level venues. As used at St Georges Park.

Shelter Specification:

- Made from 50mm square aluminium with bespoke internal extrusions
- 4mm thick clear copolyester side and back sheets
- Aluminium lower side panels for added strength
- Rubber extrusion strips prevent water leakage
- External depth of 2.4m and an internal depth of 2.1m
- Floor Fixed Shelter with welded lugs for securely bolting down
- Polyester powder coated white. Shelters must be anchored at all times.



Superior bucket seats

Features:

- 1 2.1m high allowing full standing access
- 2 Two tier 15 seat shelter with raised back tier
- 3 Injection moulded blue polypropylene superior bucket seats.

5.0m Blue Seats
SHE-080

5.0m Red Seats
SHE-081



All team shelters require appropriate anchorage - visit harrod.uk.com for our full range of options

Superior Team Shelter

Top of the range shelter designed with superior bucket seats.

Shelter Specification:

- Made from 50mm square aluminium with bespoke internal extrusions
- 4mm thick clear copolyester side and back sheets
- Aluminium composite lower side panels for added strength
- Rubber extrusion strips ensure a secure waterproof seal
- Polyester powder coated white (as standard)
- Height: 2.69m (ground to top of crossbar)
- External depth of 1.57m (front of crossbar to rear of shelter)
- Shelters must be anchored at all times
- Floor Fixed Shelters have welded lugs for bolting down.

Features:

- 1 Injection moulded blue polypropylene superior bucket seats
- 2 2.05 metres high allowing full standing access.

4m Blue 7 Seats Fixed

SHE-060

4m Blue 7 Seats Socketed

SHE-062

6m Blue 10 Seats Fixed


SHE-066

6m Blue 10 Seats Socketed

SHE-067



Bespoke options available



12 Seater bespoke shelter

All team shelters require appropriate anchorage - visit harrod.uk.com for our full range of options

Premier Team Shelter

Top quality shelter designed with seats available in a variety of colours.

Shelter Specification:

- Made from 50mm square aluminium with bespoke internal extrusions
- 4mm thick clear copolyester side and back sheets
- Rubber extrusion strips ensure a secure waterproof sea
- Polyester powder coated white (as standard)
- 2.05 metres high allowing full standing access
- External depth of 1.57 metres. Injection moulded polypropylene seats
- Shelters must be anchored at all times
- Floor Fixed Shelters have welded lugs for bolting down.

Features:

- 1 Injection moulded blue/red/black polypropylene premier seats
- 2 2.05 metres high allowing full standing access.

1m Floor Fixed

Blue Seats SHE-045

Red Seats SHE-040

Black Seats SHE-047

4m Floor Fixed

Blue Seats SHE-015

Red Seats SHE-010

Black Seats SHE-017

5m Floor Fixed

Blue Seats SHE-025

Red Seats SHE-020

Black Seats SHE-027


6m Floor Fixed

Blue Seats SHE-035

Red Seats SHE-030

Black Seats SHE-037

Socketed versions also available - see our website for details



All team shelters require appropriate anchorage - visit harrod.uk.com for our full range of options

Bespoke options available



Fibretech Pro Team Shelter

Designed as a sleek, contemporary alternative to the 'Standard' Fibretech the extremely strong and impact resistant 'Pro' features a large curved canopy ideal for keeping players dry.



All team shelters require appropriate anchorage - visit harrod.uk.com for our full range of options

Shelter Specification:

- 3, 5, 8 & 10 seats
- Composite fibreglass and polyester resin with a smooth gel coat gloss finish
- Fixing holes are located along the base every 500mm for anchoring
- Reinforced bottom side section for fixings
- UV stabilised polypropylene seat/bench
- Shelters must be anchored at all times
- The shelters arrive on a flat bed lorry. Ideally a forklift is required on site to enable a safe offload, or at least 6 capable people to man handle.

Bespoke Options:

- Optional screen printing available for logos and wording
- Choice of seat style – Bench or Fixed
- Choice of seat/bench colours: available in black, blue, green, yellow, red, orange, white and grey.



2m - 3 Seater
SHE-154-S



3m - 5 Seater
SHE-155-S



4.3m - 8 Seater
SHE-156-S



5.3m - 10 Seater
SHE-157-S



2.0m high allowing full standing access

Bespoke colour & branding solutions - POA



Fibretech Standard Team Shelter

Designed and manufactured in one piece from advanced materials. Extremely strong, durable and impact resistant to hockey and footballs.



All team shelters require appropriate anchorage - visit harrod.uk.com for our full range of options

Shelter Specification:

- 3, 5, 7 & 10 seats
- Composite fibreglass and polyester resin with a smooth gel coat gloss finish.
- Fixing holes are located along the base every 500mm for anchoring
- Reinforced bottom side section for fixings
- UV stabilised polypropylene seat/bench
- Shelters must be anchored at all times.
- The shelters arrive on a flat bed lorry. Ideally a forklift is required on site to enable a safe offload, or at least 6 capable people to man handle.

Bespoke Options:

- Optional screen printing available for logos and wording
- Choice of seat style – Bench or Fixed
- Choice of seat/bench colours: available in black, blue, green, yellow, red, orange, white and grey.



1.5m - 3 Seater
SHE-054-S



2.5m - 5 Seater
SHE-055-S



3.5m - 7 Seater
SHE-056-S



5m - 10 Seater
SHE-057-S



Bespoke
colour &
branding
solutions
- POA



Panoramic Team Shelters

A spacious shelter with curved sideframes designed to improve players' views of the pitch. Ideal for use by clubs and schools.

All team shelters require appropriate anchorage - visit harrod.uk.com for our full range of options

Shelter Specification:


- Manufactured from 50.8mm aluminium box section powder coated matt black
- 3mm clear polycarbonate top sheet and side sheets
- Black aluminium composite panel surrounding the lower section
- External depth of 1.43m
- Floor fixed and must be anchored at all times.

Features:


- 2.0m high allowing full standing access
- Extruded high-density polyethylene (HDPE) seats
- Curved profile.



2m
SHE-102



4m
SHE-104



6m
SHE-106



Bespoke colour & branding solutions - POA



Integral Weighted Wheelaway Tennis

This revolutionary tennis post design with Ski Plate, encompasses the unique Harrod Sport integral weighted roller system, as a single solution for all court surfaces.

Full regulation net height can be achieved without sockets



Post Specification:

- Detachable uprights manufactured from 80mm square aluminium
- The 1.18m widebase frame is manufactured from 76mm square aluminium
- The rear ballast is electroplated steel with an aluminium tube external housing
- The two cellular wheels improve maneuverability
- The product is powder coated matt black
- Overall depth of base (front of ski plate to rear of the wheels) 1503mm
- Front of upright to rear of base (rear of the wheels) 854mm.

Features:

- 1 The Ski Plate and rubber bottoms provides grip and protection, spreading the weight of each posts thus reducing pressure on the playing surface
- 2 Full regulation net height can be achieved
- 3 The net attaches to the upright via synthetic net hooks
- 4 Heavy duty brass winder and brass pulley wheel.

Integral Weighted
TEN-170
3.5mm Net
TEN-155

See our website for full list of accessories



A HARROD UK
INNOVATION
Integral Weighted
Wheelaway Tennis

©Copyright 2015.

Freestanding Tennis Posts

Post Specification:

- Uprights made from 76mm diameter steel
- The steel posts are joined with pre-galvanised steel box section, polyester powder coated matt Black
- The use of pre-galvanised material gives the connecting bars an extra level of protection
- The powder coated steel channel connections are plated and come complete with M10 rivnuts
- The updated connecting method also means the diagonal braces are no longer required.

Features:

- A new improved design
- Full regulation net height can be achieved
- Heavy duty brass winder and pulley wheel
- Rubber pads protect each surface type.

Freestanding Tennis Posts

Black **TEN-100**

Green **TEN-101**

P17 Tournament Net

TEN-002



P17 Tournament Net



Tennis Trolley

Black **TEN-096**

Green **TEN-095**

Black &
green colour
as standard
- bespoke options
also available



Premium Square Tennis Posts

Premium Aluminium 80mm Square Tennis Posts

Post Specification:

- Made from 80mm reinforced aluminium
- Sockets are complete with flush fitting hinged lids
- 312mm deep galvanised steel sockets with 82mm square internal face
- Sockets have a welded pin, allowing uprights to sit 160mm from the base
- Stainless steel net retaining rod ensures net is held firm to posts
- Polyester powder coated green.

Aluminium Posts

TEN-028

P17 Tournament Net

TEN-002

Aluminium Posts

c/w Locking Sockets

TEN-233

S8 Square Steel Tennis Posts

Post Specification:

- Made from 76mm square steel
- Heavy duty brass winder
- 359mm deep sockets with a 79mm square internal face
- Polyester powder coated green

Features:

- Sockets are complete with flush fitting hinged lids
- Stainless steel net retaining rod ensures net is held firm to posts
- Brass pulley wheel.

Steel Posts

TEN-017

P17 Tournament Net

TEN-002

Steel Posts

c/w Locking Sockets

TEN-232



TEN-028



TEN-017

Telescopic Volleyball Posts

Designed to competition standard, these posts have a safe net tensioning system which allows simple transitions between heights with a further unique fine adjustment mechanism.

Specification:

- 102mm diameter aluminium uprights allow internal mechanisms to move in harmony
- 60mm x 40mm steel telescopic top upright, mounted on internal slider with an integral plunger mechanism for smooth transition to men's, women's or junior heights
- Floor fixed version has a 8mm thick steel base with floor fixings and plastic wheels
- Socketed version has 367mm deep sockets
- Polyester powder coated red
- Floor plugs not included. SHP-001 or SHP-100 are required for this product.

Features:

- 1 Easily adjustable to men's (2.43m), women's (2.24m) and junior (2.13m) heights.
- 2 Winder and dummy posts include a unique easy to use fine adjustment screw mechanism that can be operated whilst the net is under full tension.

Floor Fixed Competition Volleyball Posts

VOL-055

Floor Fixed Competition Volleyball Posts, Whitworth


VOL-056

Socketed Competition Volleyball Posts

VOL-060

Supermatch net

VOL-030



Optional Stainless Steel Winch

Available on all aluminium volleyball posts.



Competition Floor Fixed Volleyball Posts c/w Stainless Steel Winch

VOL-080

Competition Floor Socketed Volleyball Posts c/w Stainless Steel Winch

VOL-081

Wall Mounted Volleyball Posts c/w Stainless Steel Winch

VOL-078

Matchplay Volleyball Posts c/w Stainless Steel Winch

VOL-079

Wall Mounted Volleyball

Specification:

- Made from 83mm x 43mm aluminium
- Upright has an adjustable slider and ratchet winch
- Floor plate and 2 solid wall fixings included per upright (all fixings require installation)
- Complete with full length upright protection pad.

Features:

- Net height can be adjusted to all volleyball positions including sitting volleyball
- Posts can also be used for badminton
- Posts can be easily removed from the bolt on wall bracket.

Wall Mounted Volleyball


VOL-075

Options, Extras & Spares

- VOL-077** Intermediate support
- VOL-048** Intermediate base pad
- VOL-015** No2 per metre net

4 Mesh Training Net per m

VOL-017



Match Play Volleyball Posts

Specification:

- Uprights made from 75mm x 50mm heavy duty aluminium
- Sliding net retainer complete with hand wheel, ratchet tensioner and brass pulley wheels
- Upright brace for added stability
- Polyester powder coated blue.

Features:

- Adjustable to men's, women's and junior play without removing the net
- Wheelaway steel base does not protrude into the court.

Match Play Volleyball Posts

VOL-050

Options, Extras & Spares

VOL-053

Post and base protector

SHP-001 SH2 160mm

SHP-100 SH2 210mm

3mm No.30 Net

VOL-001



Portable Volleyball Posts



Sportset Beach Volleyball Posts

Features:

- This lightweight tournament design utilises the unique Harrod Sport turf screw to enable a fast, safe and easy set up and dismantle (Insertion tool must be ordered separately see BAR-031)
- The posts can be easily assembled by two people and dismantled to a packed length of less than 1.2m
- Adjustable to both men's and women's heights.

Sportset Beach Volleyball Posts
VOL-175

Specification:

- Aluminium uprights are polyester powder coated yellow
- Built in net tensioner. Tensioning is achieved using an adjustable pull down clamp system and ratchet winch
- The 10 metre 2.0mm polyethylene net is supplied with heavyweight fluorescent head and side bands for twilight visibility
- Black rope side straps come with crimped loop ends for additional net stability
- Turf screw ground sockets included.



Portable Volleyball Posts

Features:

- Can be completely assembled by two people in less than ten minutes
- Simply drive in four pegs, roll out the net, snap together the posts, hook up the guy ropes to support the net and the final net headline tension is achieved by pulling on the tension handle.

Portable Volleyball
VOL-150

Junior Height Conversion
VOL-154

Specification:

- Built in net tensioner.
- 10 metre 2.0mm polyethylene net
- Packed length less than 1.2m
- Fluorescent banding for twilight visibility. Adjusts to men's and ladies' height
- Aluminium poles polyester powder coated black
- Complete with carry bag, steel handled rubber mallet & steel ground pegs
- Alloy guy tensioners
- Black rope with crimped loop ends.

Handball

This regulation aluminium handball goal is the ideal choice for top level matches with its angled side frame and freehanging net.



Specification:

- Made from 80mm square reinforced aluminium
- 31.8mm steel folding net supports with a 1.1m top and a 1.3m bottom runback angled out to facilitate free hanging net
- Overall goal size 3520mm Wide x 2080mm High x 1352mm Deep
- Polyester powder coated red with white vinyl markings.

Features:

- Fully welded corner joints provide superior strength and added safety
- Plunger mechanism allows net supports to fold easily
- Detachable backbar for ease of use and storage.

Competition Aluminium Handball Goal
HAN-010

Nets
HAN-005

Lacrosse Goals

The goals have been designed to conform to FIL regulations.

Specification:

- Goal Size: 1.83m x 1.83m
The product is manufactured in one piece from 48.3mm diameter round steel tube
- The base frame is made from 50mm x 12mm flat steel with a 2.2m runback
- The goals come complete with integral stainless steel net tie rods for secure net fixing
- All steel is polyester powder coated orange to meet regulation standard
- No anchoring is required.

Features:

- Designed to conform to FIL regulations.

Freestanding Competition Lacrosse Goals
LAC-010

Nets
LAC-016



American Football


International NFL Posts

Designed to NFL (National Football League) and BAFA (British American Football Association) standards and regulations, these goals have hosted top NFL matches.


Specification:

- 150mm diameter steel gooseneck with 1.8m projection
- Heavy duty hinged socket assembly
- Aluminum 9.1m top uprights
- 12.2m overall goal height
- 3m crossbar height and 5.6m wide
- Painted official NFL luminous yellow.

AMF-001



AMF-001 International posts



As used at
Wembley,
Twickenham
Croke Park & the
Aviva Stadium



AMF-005 Club American Football

Club American Football Posts

Designed to NCAA (National Collegiate Athletics Association) and BAFA (British American Football Association) standards and regulations.

Specification:

- 89mm diameter steel gooseneck with 1.8m projection
- Hinged socket assembly
- Aluminum 6.1m top uprights
- 9.1m overall goal height
- 3m crossbar height and 5.6m wide
- Polyester powder coated yellow.

AMF-005

American Football Post Assembly Lifter

A device designed specifically for raising and lowering American Football posts.

Specification:

- Manufactured from 60mm box section steel for strength and durability
- Heavy duty winch with 5mm galvanised wire
- 4 x 260mm cellular wheels for smooth operation and portability
- Polyester powder coated matt black.

LFT-001



This product is protected by
Registered Design no. #4042809.

**A HARROD UK
INNOVATION**

*American Football Post
Assembly Lifter*



Tel: 01502 583515
Fax: 01502 582456

Harrod UK Limited
Pinbush Road, Lowestoft
Suffolk NR33 7NL

harrod.uk.com

 follow us
@HarrodUK

 find us
HarrodUKLtd

 see us
Harrod UK

